

- p. 182 *Diadophis punctatus laetus* Jan
Type locality.—Unknown; designated as Sonora, Mexico.
- p. 205 *Ophibolus evansi* Kennicott
Type locality.—Prairies of Central Illinois.
- p. 205 *Coronella tigrina* Jan
Type locality.—Gold Coast? (in error); designated as vicinity of St. Louis, Missouri.
- p. 206 *Coronella sayi* Holbrook (*nec* Schlegel)
Type locality.—Mississippi Valley, restr. to Hot Springs, Arkansas.
- p. 212 *Rhinocheilus lecontei clarus* Klauber
Type locality.—Borego Valley, San Diego County, California.
- p. 212 *Ablabes purpureocauda* Gunther
Type locality.—California, restr. to San Jose, California.
- p. 225 *Ancistrodon piscivorus* Lacépède.
Type locality.—Carolina, restr. to Charleston, South Carolina.
- p. 225 *Toxicophis pugnax* Baird and Girard
Type locality.—Indianola, Texas.
- p. 228 *Crotalus durissus* var. *Melanurus* Jan
Type locality.—South Carolina.
- p. 235 *Crotalus cerastes laterorepens* Klauber
Type locality.—The Narrows, San Diego County, California.

—KARL P. SCHMIDT, *Chicago Natural History Museum, Chicago 5, Illinois.*

INDEX TO SCIENTIFIC NAMES

1954 Nos. 1-4

New names and their principal references are printed in bold face type

- Abastor, 88-92
 erythrogrammus, 87, 92
Ablabes *purpureocauda*, 306
Abudehdud *hispidus*, 7
 lineatus, 7
 septemfasciatus, 7-8
 sordidus, 7-8
Acanthocybium *solandri*, 3, 182, 185, 187
Acanthodactylus *vulgaris*, 225
Acanthurus *fuliginosus*, 7-8
 glaucopeus, 8
 guttatus, 8
 lineatus, 8
 mata, 8
 triostegus, 6, 8
Acer, 40
Acris, 218, 227
 crepitans, 157
 gryllus blanchardi, 228
 crepitans, 228
 dorsalis, 59
 paludicola, 228
aculeatus, *Gasterosteus*, 242
 Rhineacanthus, 7-8
acuminatus, *Heniochus*, 8
acutus, *Crocodylus*, 108
adamanteus, *Crotalus*, 158, 229
aeneus, *Aneides*, 296-7
affinis, *Cheilodipterus*, 74-5
 Euthynnus, 14-5
 Gambusia, 271
 Gambusia affinis, 234
 Pituophis catenifer, 230
agassizi, *Gopherus*, 61-2
agilis, *Lacerta*, 113
 Mabuya, 108
Agkistrodon *blomhoffi*, 67
 contortrix mokeson, 67
 halys, 67
 blomhoffi, 67
 brevicaudus, 67
 intermedius, 67
 stejnegeri, 67
 ussuriensis, 67
Ahaetulla, 59
ahula, *Scarus*, 154-5
 alalunga, *Germo*, 183
 albacares, *Neothunnus*, 181, 183-4, 187, 292
 albacora, *Neothunnus*, 292
 Thunnus, 14, 16
 albolabris, *Triodopsis*, 159
 albomarginatus, *Cephalopholis*, 8
 albovittata, *Stethojulis*, 8
 Albula vulpes, 8
 albus, *Lupinus*, 5
 Alectis crinitus, 293
 algirus, *Psammodromus*, 225
 alletteratus, *Euthynnus*, 181, 187
 Alligator mississippiensis, 222-3
 Alloclinus, 17
 holderi, 17, 19
 Alosa, 243

- p. 182 *Diadophis punctatus laetus* Jan
Type locality.—Unknown; designated as Sonora, Mexico.
- p. 205 *Ophibolus evansi* Kennicott
Type locality.—Prairies of Central Illinois.
- p. 205 *Coronella tigrina* Jan
Type locality.—Gold Coast? (in error); designated as vicinity of St. Louis, Missouri.
- p. 206 *Coronella sayi* Holbrook (*nec* Schlegel)
Type locality.—Mississippi Valley, restr. to Hot Springs, Arkansas.
- p. 212 *Rhinocheilus lecontei clarus* Klauber
Type locality.—Borego Valley, San Diego County, California.
- p. 212 *Ablabes purpureocauda* Gunther
Type locality.—California, restr. to San Jose, California.
- p. 225 *Ancistrodon piscivorus* Lacépède.
Type locality.—Carolina, restr. to Charleston, South Carolina.
- p. 225 *Toxicophis pugnax* Baird and Girard
Type locality.—Indianola, Texas.
- p. 228 *Crotalus durissus* var. *Melanurus* Jan
Type locality.—South Carolina.
- p. 235 *Crotalus cerastes laterorepens* Klauber
Type locality.—The Narrows, San Diego County, California.

—KARL P. SCHMIDT, *Chicago Natural History Museum, Chicago 5, Illinois.*

INDEX TO SCIENTIFIC NAMES

1954 Nos. 1-4

New names and their principal references are printed in bold face type

- Abastor, 88-92
 erythrogrammus, 87, 92
Ablabes *purpureocauda*, 306
Abudehdud *hispidus*, 7
 lineatus, 7
 septemfasciatus, 7-8
 sordidus, 7-8
Acanthocybium *solandri*, 3, 182, 185, 187
Acanthodactylus *vulgaris*, 225
Acanthurus *fuliginosus*, 7-8
 glaucopeus, 8
 guttatus, 8
 lineatus, 8
 mata, 8
 triostegus, 6, 8
Acer, 40
Acris, 218, 227
 crepitans, 157
 gryllus blanchardi, 228
 crepitans, 228
 dorsalis, 59
 paludicola, 228
aculeatus, *Gasterosteus*, 242
 Rhineacanthus, 7-8
acuminatus, *Heniochus*, 8
acutus, *Crocodylus*, 108
adamanteus, *Crotalus*, 158, 229
aeneus, *Aneides*, 296-7
affinis, *Cheilodipterus*, 74-5
 Euthynnus, 14-5
 Gambusia, 271
 Gambusia affinis, 234
 Pituophis catenifer, 230
agassizi, *Gopherus*, 61-2
agilis, *Lacerta*, 113
 Mabuya, 108
Agkistrodon *blomhoffi*, 67
 contortrix mokeson, 67
 halys, 67
 blomhoffi, 67
 brevicaudus, 67
 intermedius, 67
 stejnegeri, 67
 ussuriensis, 67
Ahaetulla, 59
 ahula, *Scarus*, 154-5
 alalunga, *Germo*, 183
 albacares, *Neothunnus*, 181, 183-4, 187, 292
 albacora, *Neothunnus*, 292
 Thunnus, 14, 16
 albolabris, *Triodopsis*, 159
 albomarginatus, *Cephalopholis*, 8
 albovittata, *Stethojulis*, 8
 Albula vulpes, 8
 albus, *Lupinus*, 5
 Alectis crinitus, 293
 algirus, *Psammodromus*, 225
 alletteratus, *Euthynnus*, 181, 187
 Alligator mississippiensis, 222-3
 Alloclinus, 17
 holderi, 17, 19
 Alosa, 243

- alpestris, *Salmo clarki*, 120
 alpinus, *Salvelinus*, 117-22, 243
 Alsophis, 59-60
 angulifer, 59
 angulifer, 59
 ater, 110
 alternata, *Anguispira*, 63, 159
 Alutera scripta, 8
 amabilis, *Diadophis*, 300
 Notropis, 155, 195
 amaura, *Lampropeltis doliata*, 229
 ambiguus, *Parathunnus*, 184
 Ambloplites, 195
 rupestris, 189
 rupestris, 69-70
 Ambystoma, 65, 156, 217, 300
 jeffersonianum, 76, 156-7, 223, 300
 maculatum, 64-5, 156-7, 300
 sp., 217
 tigrinum, 67, 300
 mavortium, 60
 nebulosum, 223
 tigrinum, 156-7
 Ameiurus, 191, 195, 285
 nebulosus, 191-2, 194
 nebulosus, 243
 Ameiva dorsalis, 108
 sloanei, 108
 americana, *Morone*, 75, 154
 Tilia, 40
 americanus, *Bufo terrestris*, 41, 251, 255-6
 × *woodhousei fowleri*, 251
 Crocodilus, 108
 Esox, 243
 Amphiodon, 243
 Amphiuma means means, 68
 ampla, *Makaira nigricans*, 182, 186-7
 Anchyrolana, 86
 Ancistrodon contortrix laticinctus, 229
 mokeson, 229
 piscivorus, 229, 306
 Aneides, 297-8
 aeneus, 296-7
 anguillaris, *Plotosus*, 153
 Anguillichthys, 12
 bahamensis, 12
 anguinus, *Proteus*, 200
 Anguispira alternata, 63, 159
 angulifer, *Alsophis*, 59
 Alsophis angulifer, 59
 Epicrates, 229
 Anisotremus surinamensis, 76
 annectens, *Pituophis catenifer*, 230
 Thamnophis sirtalis, 305
 Anniella pulchra pulchra, 305
 texana, 305
 annularis, *Pomoxis*, 236
 annulata, *Lampropeltis doliata*, 230
 annulatus, *Corallus*, 229
 Anolis carolinensis, 299
 carolinensis, 59
 garmani, 108
 opalinus, 108
 Anyperodon leucogrammicus, 8
 Aphredoderus, 69
 sayanus, 69
 Aplodinotus, 287
 grunniens, 286-8
 arab, *Plotosus*, 153
 arbore, *Zonitoides*, 63
 areolata, *Rana*, 219
 areolatus, *Epinephelus*, 8
 argus, *Cephalopholis*, 4, 8
 Eremias, 67
 Sphaerodactylus, 109
 Sphaerodactylus argus, 109
 Arion, 63
 circumscripatus, 62
 hortensis, 62-3
 Armadillidium vulgare, 63
 Arothron hispidus, 8
 meleagris, 7
 nigropunctatus, 7
 Artemia, 65
 asellus, *Oniscus*, 63
 asper, *Cottus*, 25-8
 ater, *Alsophis*, 110
 Dromicus, 110
 Leimadophis, 110
 atherinoides, *Notropis*, 190
 atlantica, *Megalops*, 162
 atlanticus, *Parathunnus*, 181, 183, 187
 Tarpon, 71
 Thynnus, 183
 atra, *Naja naja*, 230
 Natrix, 110
 atratus, *Thamnophis elegans*, 45
 atricaudatus, *Crotalus horridus*, 159, 301
 × *horridus*, 301
 atrisignis, *Cypselurus*, 8
 atromaculatus, *Semotilus*, 155, 284-5, 288
 atrox, *Crotalus*, 229
 attenuatus, *Batrachoseps*, 299
 auratus, *Carassius*, 191
 aureolum, *Moxostoma*, 132
 aureolus, *Salvelinus*, 117, 120
 auriga, *Chaetodon*, 8
 aurolineatus, *Gnathodentex*, 8
 aurora, *Rana*, 86-7
 axillaris, *Stethojulis*, 8
 aya, *Lutjanus*, 75
 azteca, *Hyalala*, 27
 aztecus, *Penaeus*, 153
 Baccharis, 112
 Bagre marinus, 162
 bahamensis, *Anguillichthys*, 12
 Stilbiscus, 12
 bailloni, *Trachinotus*, 8
 Bairdiella icistius, 272
 balteatus, *Richardsonius*, 27, 278-81
 × *Mylocheilus caurinum*, 280-1
 × *Ptychocheilus oregonense*, 279
 Richardsonius balteatus, 278, 280
 × *Mylocheilus caurinum*, 278
 Thynnus, 183
 barbatula, *Cobitis*, 191
 barberinus, *Parupeneus*, 8
 barborus, *Scarus*, 155
 barbouri, *Eunectes*, 229
 barracuda, *Sphyrna*, 180-1, 187
 basiliscus, *Crotalus basiliscus*, 229
 batabiensis, *Callyodon*, 8
 Batrachoseps, 299-300
 attenuatus, 299
 Belone platyura, 8
 bennetti, *Chaetodon*, 8
 berlandieri, *Gopherus*, 62
 Rana, 207-11, 255-6
 beryllina, *Menidia*, 162
 bicolor, *Loxocemus*, 230
 bilobatus, *Cnemidophorus*, 262
 bislineata, *Eurycea*, 93, 201, 206
 Eurycea bislineata, 96

- bivittatus, *Python molurus*, 230
Blarina brevicauda, 159, 288
blanchardi, *Acris gryllus*, 228
Blennius, 135, 138
 cristatus, 138
 favosus, 138
 fucorum, 138
 marmoreus, 138
 nicholsi, 135, 136-9
 normani, 138
 pilicornis, 138
 stearnsi, 138
 vinctus, 138
blomhoffi, *Agkistrodon*, 67
Agkistrodon halys, 67
Boa constrictor constrictor, 229
 imperator, 229
bohar, *Lutjanus*, 7-8
Boiga dendrophila, 229
Boleosoma, 243
bombifrons, *Scaphiopus*, 97, 217-8, 254-6
 Scaphiopus hammondi, 97-9
 Spea, 217
Bombina orientalis, 66
Borborocoetes, 53
boreas, *Bufo*, 85
 Bufo boreas, 197-200
Bothus mancus, 7-8
 pantherinus, 8
boylei, *Rana*, 86-7
 Rana boylei, 86
Brachydanio rerio, 150
brazosensis, *Notropis*, 155
brevicauda, *Blarina*, 159, 288
brevicaudus, *Agkistrodon halys*, 67
brevis, *Cypselurus*, 8
 Fundulus parvipinnis, 234-5
Brevoortia gunteri, 19
 patronus, 19
 sp., 19
 tyrannus, 19
brooksi, *Lampropeltis getulus*, 59, 230
brunnea, *Hyla*, 106
 Hyla septentrionalis, 106
bubalus, *Ictiobus*, 132, 190
Bufo, 198-200, 217-8, 221, 251-2
 boreas, 85
 boreas, 197-200
 cognatus, 207-11, 221
 mauritanicus, 225
 nestor, 85
 punctatus, 157
 quercicus, 59
 sp., 85
 terrestris americanus, 41, 251, 255-6
 × *woodhousei fowleri*, 251
 copei, 226
 viridis, 225
 woodhousei fowleri, 210, 218
 × *terrestris americanus*, 251
 woodhousei, 218, 221
calcitrans, *Eleutherodactylus*, 49
Calianassa, 151
californiae, *Lampropeltis getulus*, 230
callarias, *Gadus*, 150
Callisaurus, 220
 draconoides gabbi, 39
Callyodon bataviensis, 8
campi, *Syrphophus*, 50, 54
Camponotus leanus, 63
canadensis, *Cercis*, 40
cantabrigensis, *Rana sylvatica*, 227
capistrata, *Natrix*, 110
capito, *Rana*, 219
Carangoides ferdau jordani, 8
Caranx, 3, 292
 cryos, 292-3
 hippos, 292-3
 lugubris, 7-8
 melampygus, 7-8
 sexfasciatus, 7-8
 ruber, 292-3
Carassius auratus, 191
carbonaria, *Testudo*, 107
Carcharhinus longimanus, 180-1, 187
Carcharias taurus, 296
carcharias, *Carcharodon*, 295
Carcharodon carcharias, 295
Caretta caretta, 107
 caretta, 68, 157-8
caretta, *Caretta*, 107
 Caretta caretta, 68, 157-8
 Testudo, 107
carinatum, *Moxostoma*, 132
carinatus, *Leiocephalus carinatus*, 64
carolinensis, *Anolis*, 299
 Anolis carolinensis, 59
 Desmognathus ochropheus, 297
 Microhyla, 158
carpio, *Cyprinus*, 132, 193-4
Carya ovata, 40
caryophyllaceus, *Eleutherodactylus*, 49
 Syrphophus, 49
casadae, *Rana aurora*, 86
castaneus, *Ichthyomyzon*, 127-34
catenatus, *Sistrurus*, 230
catenifer, *Pituophis catenifer*, 230
catesbeiana, *Rana*, 86-7, 157, 218
Catonotus, 243
Catostomus catostomus catostomus, 243
 commersoni, 73, 283, 288
catostomus, *Catostomus catostomus*, 243
catus, *Ictalurus*, 153
caurinum, *Mylocheilus*, 278-81
 × *Ptychocheilus oregonense*, 278-9
 × *Richardsonius balteatus*, 280-1
 × *Richardsonius balteatus balteatus*, 278
cavalla, *Scomberomorus*, 182, 187, 232, 292
Celestus occiduus, 109
 occiduus, 109
Cemophora coccinea, 305
Centaurea, 224
cepedianum, *Dorosoma*, 242
Cephalopholis albomarginatus, 8
 argus, 4, 8
 miniatus, 8
Ceratophrys dorsata, 99
 ornata, 99
Cercis canadensis, 40
Chaetodon auriga, 8
 bennetti, 8
 ephippium, 7-8
 lunula, 8
 ornatissimus, 8
 setifer, 8
 trifasciatus, 8
 unimaculatus, 7
Chalcides ocellatus, 225
tridactylus, 225
Chara, 277
Chauliodon macouni, 75
 sloanei, 76
Cheilodipterus, 74
 affinis, 74-5
Chelonia mydas, 107

Cheon
 coop
 Chilab
 Chiron
 Chloro
 chloros
 Chryse
 picta
 do
 ma
 pic
 chryso
 Cichlas
 cy
 cinereu
 Pleth
 Pleth
 Sorez
 circum
 clamita
 clarki
 clarus
 clemson
 Clupea
 palla
 Cnemic
 lemis
 len
 ru
 sexlin
 tigris
 Cobitis
 coccine
 Coelopo
 cognatu
 colle, G
 Colube
 const
 Dum
 hippo
 comme
 concolo
 Conger
 Coniop
 constrict
 Contia
 tenui
 contine
 cooki, G
 cooperi
 Syna
 copei, I
 corallin
 Corallu
 enyd
 Corego
 coriace
 Cornus
 cornutu
 Corone
 dumf
 sayi
 tigrin
 Coryph
 hippu
 sp., I
 Cottus
 asper
 rtho
 couchi
 coulteri
 couperi
 crassus

- Cheonda, 278
 cooperi, 278, 281
 Chilabothrus inornatus, 110
 Chironomus, 237-8
 Chlorochytrium, 65
 chlorosomum, Etheostoma, 69
 Chrysemys, 299
 picta, 298
 dorsalis, 298-9
 marginata, 298-9
 picta, 298-9
 chrysops, Morone, 154
 Cichlasoma cyanoguttatum, 162
 cyanoguttatum, 195
 cinereus, Conger, 8
 Plethodon, 65
 Plethodon cinereus, 41-3, 60
 Sorex, 288
 circumscriptus, Arion, 62
 clamatans, Rana, 41, 157, 219, 227, 252
 clarki, Salmo, 120-1, 124
 clarus, Rhinocellus lecontei, 306
 clemsonae, Plethodon, 33
 Clupea harengus, 140, 150
 pallasi, 139-40, 143, 146-7, 149-50
 Cnemidophorus bilobatus, 262
 lemiscatus, 260
 lemiscatus, 260
 ruatanus, 260
 sexlineatus, 229
 tigris multiscutatus, 39
 Cobitis barbatula, 191
 coccinea, Cemophora, 305
 Coelopeltis monspessulanus, 226
 cognatus, Bufo, 207-11, 221,
 collei, Cyclura, 108
 Coluber, 59
 constrictor flaviventris, 157
 Dumfriensiensis, 305
 hippocrepis, 225
 commersoni, Catostomus, 73, 283, 288
 concolor, Ichthyomyzon, 128
 Conger cinereus, 8
 Coniophanes, 59
 constrictor, Boa constrictor, 229
 Contia, 299-300
 tenuis, 299-300
 continentalis, Ungaliophis, 230
 cooki, Corallus enydris, 229
 cooperi, Cheonda, 278, 281
 Synaptomys, 159
 copei, Bufo terrestris, 226
 corallinum, Cryptotrema, 17-9
 Corallus annulatus, 229
 enydris cooki, 229
 Coregonus, 243
 coriacea, Dermochelys, 68
 Cornus florida, 40
 cornutum, Phrynosoma, 262-3
 Coronella doliata, 305
 dumfriensiensis, 305
 sayi, 306
 tigrina, 306
 Coryphaena equisetis, 182, 186-7, 293
 hippurus, 14, 154, 182, 186-7, 293
 sp., 182, 187
 Cottus, 28
 asper, 25-8
 rhotheus, 25-8
 couchi, Scaphiopus, 218
 couleri, Prosopium, 124-7
 couperi, Drymarchon corais, 229
 crassus, Epicrates cenchria, 229
 crepitans, Acris, 157
 Acris gryllus, 228
 crinitus, Alectis, 293
 cristatus, Blennius, 138
 Cristivomer, 116-20, 122-3, 243
 namaycush, 117-8, 123
 siscowet, 117
 Crocodilus acutus, 108
 americanus, 108
 Crocodylus mindorensis, 264
 novaeguineae, 264
 ossifragus, 266
 palustris, 263-4
 porosus, 263-6
 siamensis, 263-4, 266
 sp., 264
 Crotalus, 158-9, 300
 adamanteus, 158, 229
 atrox, 229
 basiliscus basiliscus, 229
 cerastes laterorepens, 229, 306
 durissus durissus, 229
 Melanurus, 306
 horridus, 158-9, 300
 atricaudatus, 159, 301
 horridus, 159, 229, 301
 X atricaudatus, 301
 mitchelli pyrrhus, 229
 ruber ruber, 229
 tortugensis, 229
 unicolor, 229
 viridis helleri, 229
 viridis, 229
 crucifer, Hyla, 65, 252-4
 crumenophthalmus, Selar, 293
 Cryptotrema, 17, 19
 corallinum, 17-9
 seftoni, 17, 18
 crysoleucas, Notemigonus, 69, 284, 288
 crysos, Caranx, 292-3
 Ctenochaetus strigosus, 8
 Ctenomys, 112
 cucullatus, Macroprotodon, 226
 culpaus, Dusicyon, 112
 curtus, Python curtus, 230
 cyanellus, Lepomis, 132, 286-8
 cyanoguttatum, Cichlasoma, 162
 Cichlasoma cyanoguttatum, 195
 Cybium tritor, 185
 Cyclops, 26
 sp., 27
 Cyclura collei, 108
 lophoma, 108
 Cymodocea manatorum, 195
 Cyprinella texana, 72
 Cyprinus carpio, 132, 193-4
 Cypselurus atrisignis, 8
 brevis, 8
 cystignathoides, Syrrhophus, 57-8
 Cystignathus microtis, 52

 Dactyloa edwardsii, 108
 Dallia, 170, 174-6
 pectoralis, 169, 244
 Daphnia, 65
 darwini, Gephyroberyx, 293
 decora, Macrobdella, 294-5
 dekayi, Storeria, 62-4
 deliciosa, Moniana, 72-3
 deliciosus, Notropis, 73
 Dendroaspis viridis, 229
 dendrophila, Boiga, 229
 denticulata, Testudo, 106-7

- Dermochelys coriacea*, 68
Deroceas, 63
 reticulatum, 62-3
deschauenseei, *Eunectes*, 229
Desmognathus fuscus fuscus, 222
 monticola jeffersoni, 305
 monticola, 297
 ochrophaeus carolinensis, 297
diacanthus, *Pygoplites*, 8
Diadophis, 41, 300
 amabilis, 300
 punctatus edwardsi, 41
 lactus, 306
diaphanus, *Fundulus*, 234, 274
Diaptomus sp., 27
diastema, *Syrrophus*, 49
Diodon hystrix, 8
dione, *Elaphe*, 66
Diplocystis, 237-8
Diploglossus occiduus, 109
 shawii, 109
doliata, *Coronella*, 305
dolomieui, *Micropterus*, 124, 132
 Micropterus dolomieui, 243
Dorosoma cepedianum, 242
 petenense, 162
dorsalis, *Acris gryllus*, 59
 Ameiva, 108
 Chrysomys picta, 298-9
dorsata, *Ceratophrys*, 99
draytoni, *Rana aurora*, 86-7
Dromicus ater, 110
Drymarchon corais couperi, 229
Dumfriensis, *Coluber*, 305
dumfriensis, *Coronella*, 305
dunni, *Gyrinophilus danieli*, 201, 204
duorum, *Penaes*, 153
durissus, *Crotalus durissus*, 229
Dusicyon culpaes, 112
dussumieri, *Scarus*, 7-8

Echidna nebulosa, 8
echinata, *Pinus*, 222
edwardsi, *Diadophis punctatus*, 41
 Stilbiscus, 12-3
edwardsii, *Dactyloa*, 108
egregius, *Eumeces*, 229
Elaphe, 59
 dione, 66
 guttata guttata, 229
 obsoleta obsoleta, 229
 quadrivittata, 229
 spiloides, 229
 rufodorsata, 66
elegans, *Gibbonsia*, 267-70, 272
 Gibbonsia elegans, 267, 270-1
Eleutherodactylus, 36-7, 48-50, 57, 216
 calcitrans, 49
 caryophyllaceus, 49
 hylaefornis, 49
 latrans, 37
 lutosus, 49
 mexicanus, 48-9
 nubicola, 211, 216
 occidentalis, 49
 pardalis, 49
 ridens, 49
 saltator, 49
Elgaria kingi kingi, 305
 kingii nobilis, 305
 nobilis, 305
emiliae, *Opsopoeodus*, 69

Enchytraeus, 65
 engelmanni, *Halophila*, 195
 Engraulis mordax mordax, 140, 142
 Ensantina eschscholtzi xanthoptica, 45
 Entosphenus, 243
 ephippium, *Chaetodon*, 7-8
 Epibulus insidiator, 7-8
 Epicrates angulifer, 229
 cenchria crassus, 229
 maurus, 229
 striatus, 229
 subflavus, 110
Epinephelus areolatus, 8
 fuscoguttatus, 8
 macrospilos, 8
 melanostigma, 8
 merra, 8
 sp., 3
 summana, 8
equisetis, *Coryphaena*, 182, 186-7, 293
Eremias argus, 67
Eretmochelys imbricata, 107
erythrogrammus, *Abastor*, 87, 92
erythrurum, *Moxostoma*, 132
Eryx, 225
 jaculus, 225
Esox, 283
 americanus, 243
 masquinongy, 283, 288
 ohiensis, 242
 vermiculatus, 243
Etheostoma, 243
 chlorosomum, 69
 fonticola, 162, 195, 197
Eumeces egregius, 229
 obsoletus, 220
 sloanii, 108-9
 sp., 220, 299
 striatulus, 262
Eumecoides hibbardi, 262
 mylecoelus, 262
Eunectes barbouri, 229
 deschauenseei, 229
 murina, 229
Eurycea, 200, 204-5
 bislineata, 95, 201, 206
 bislineata, 96
 major, 76, 95
 rivicola, 41, 43, 92-6,
 longicauda longicauda, 41, 43
 multiplacata, 205
 nana, 205
 neotenes, 205
euryzanthus, *Masticophis lateralis*, 45, 46-8
Euthynnus affinis, 14-5
 alletteratus, 181, 187
evansi, *Ophibolus*, 306
Exostinus serratus, 263
extensus, *Fundulus*, 234

falcata, *Seriola*, 182, 186-7, 292-3
favosus, *Blennius*, 138
Fistularia petimba, 8
flavescens, *Perca*, 286-8
flavilata, *Rhadinaea*, 59
flaviventris, *Coluber constrictor*, 157
flavomarginatus, *Pseudobalistes*, 7
florida, *Cornus*, 40
floridana, *Lampropeltis getulus*, 230
 fonticola, *Etheostoma*, 162, 195, 197
 fontinalis, *Salvelinus*, 117-22, 232, 294
 formosus, *Scarus*, 155

- forsteri, *Scarus*, 8
 fossor, *Ichthyomyzon*, 128
 fowleri, *Bufo woodhousei*, 210, 218, 251-4
 × *terrestris americanus*, 251
Fraxinus, 40
fucorum, *Blennius*, 138
fulgida, *Mabuya*, 108
fuliginosus, *Acanthurus*, 7-8
Fundulus, 234, 273, 275
 diaphanus, 234, 274
 extensus, 234
 heteroclitus, 234, 242, 273-7
 majalis, 274
 notatus, 190, 273-7
 parvipinnis, 234-5
 brevis, 234-5
 parvipinnis, 234-5
 vinctus, 234
furcatus, *Ictalurus*, 285
furcidens, *Ilyodon*, 234
fuscoguttatus, *Epinephelus*, 8
fuscovenosa, *Rhabdias*, 63
fuscus, *Desmognathus fuscus*, 222

gabbi, *Callisaurus draconoides*, 39
Gadus callarias, 150
gagai, *Ichthyomyzon*, 128-9, 132-4
gairdneri, *Salmo*, 120-1, 232
Gambusia affinis, 271
 affinis, 234
garmani, *Anolis*, 108
Gasterosteus aculeatus, 242
Gempylus serpens, 182, 186-7
Geomys sp., 288
Gephyroberyx darwini, 293
Germo alalunga, 183
Gerres oblongus, 8
Gerrhonotus coeruleus utahensis, 304
 kingi nobilis, 305
 liocephalus, 305
 internalis, 305
Gibbonsia elegans, 267-70, 272
 elegans, 267, 270-1
 velifera, 267, 270-1
gibbosus, *Lepomis*, 75
 Scorpaenopsis, 8
gibbus, *Lutjanus*, 8
gilvitorques, *Sphaerodactylus*, 109
glaucia, *Prionace*, 181, 187
glaucopareius, *Acanthurus*, 8
Gnathodentex aurolineatus, 8
goniorhynchus, *Sphaerodactylus*, 109
Gongylus ocellatus, 225
Gopherus agassizi, 61-2
 berlandieri, 62
 polyphemus, 62, 228
 riggsi, 262
gorbuscha, *Oncorhynchus*, 120-1
graciosus, *Sceloporus*, 113
grahamensis, *Thomomys bottae*, 223
grandis, *Haemopsis*, 294-5
grandoculis, *Monotaxis*, 8
granti, *Nyctimystes*, 84
gratiosa, *Hyla*, 157
grunniens, *Aplodinotus*, 286-8
grylio, *Rana*, 218
gularis, *Nyctimystes*, 84
gunteri, *Brevoortia*, 19
guttata, *Elaphe guttata*, 229
guttatus, *Acanthurus*, 8
guttulatus, *Malachylodes*, 50, 52
 Syrrhaptes, 50, 52-5

guttulatus, *Syrrhaptes*, 52
 Syrrhaptes, 52
 Syrrhaptes, 52
Gymnothorax javanicus, 8
 pictus, 8
 undulatus, 8
Gyrinophilus, 200-5, 221
 danielsi dunni, 201, 204
 palleucus, 201, 202-6
 porphyriticus, 201, 222
 porphyriticus, 203-4, 221
gyrinus, *Schilbeodes*, 243

Hadropterus nigrofasciatus, 235-6
 palmaris, 235-6
haemachatus, *Hemachatus*, 229
Haemopsis grandis, 294-5
Haideotriton, 206
 wallacei, 201
Halichoeres trimaculatus, 8
halicoetes, *Reithrodontomys raviventris*, 45
Halodule wrightii, 195
Halophila engelmanni, 195
halys, *Agkistrodon*, 67
hammondi, *Scaphiopus*, 97-9, 218
 Scaphiopus hammondi, 97-9
hankinsoni, *Hybognathus*, 289-91
hannah, *Ophiophagus*, 230
harengus, *Clupea*, 140, 150
hartwegi, *Trionyx ferox*, 305
heckscheri, *Rana*, 218
Helicops schistosus, 229
belleri, *Crotalus viridis*, 229
Hemachatus haemachatus, 229
Hemidactylum scutatum, 65
Hemiramphus marginatus, 8
Heniochus acuminatus, 8
 permutatus, 8
 varius, 8
hesperis, *Uta stansburiana*, 39
heteroclitus, *Fundulus*, 234, 242, 273-7
Heterodon platyrhinos, 90, 100
 plionasicus, 262
Heteropneustes, 153
hibbardi, *Eumecoides*, 262
Hiodon, 243
Hippocampus zosterae, 196
hippocrepis, *Coluber*, 225
 Zamenis, 225
hippos, *Caranx*, 292-3
hippurus, *Coryphaena*, 14, 154, 182, 186-7, 293
hirudo, *Ichthyomyzon*, 129
hispidus, *Abudefduf*, 7
 Arothron, 8
holbrookii, *Lamprolatis getulus*, 224, 230
 Scaphiopus, 99, 218
 Scaphiopus holbrookii, 251-4
Holbrookia, 220-1
holderi, *Alloclinus*, 17, 19
Holocentrus sammara, 8
 spinifer, 8
Hoplophryne rogersi, 99
hortensis, *Arion*, 62-3
horridus, *Crotalus*, 158-9, 300
 Crotalus horridus, 159, 229, 301
 × *atricaudatus*, 301
hubbsi, *Moxostoma*, 243
 Novumbra, 169
hurteri, *Scaphiopus*, 218, 255-6
Hyalalea, 27-8
 azteca, 27

- Hybognathus, 289, 291
 hankinsoni, 289-91
 nuchalis, 289, 291
 nuchalis, 291
 regia, 291
 placita, 291
 Hyla, 84-5, 99, 218
 brunnea, 106
 crucifer, 65, 252-4
 gratiosa, 157
 montana, 84-5
 septentrionalis brunnea, 106
 versicolor, 158, 252
 hylaeiformis, Eleutherodactylus, 49
 Syrrhophus, 49
 Hypodictyon, 57
 verruculatus, 57
 Hypsiglena, 59
 hystrix, Diodon, 8

 Ichthyomyzon, 129, 134
 castaneus, 127-34
 concolor, 128
 fossor, 128
 gagai, 128-9, 132-4
 hirudo, 129
 unicolor, 128
 unicuspis, 129
 icistius, Bairdiella, 272
 Ictalurus, 285
 catus, 153
 furcatus, 285
 melas, 285, 288
 punctatus, 285, 288
 Ictiobus bubalus, 132, 190
 Idus melanotus, 191
 Ilyodon furcidens, 234
 imbricata, Eretmochelys, 107
 Testudo, 107
 imperator, Boa constrictor, 229
 ineptus, Syrrhophus, 49
 infernalis, Gerrhonotus liocephalus, 305
 inornatus, Chilabothrus, 110
 insidiator, Epibulus, 7-8
 intermedius, Agkistrodon halys, 67
 intermontanus, Scaphiopus hammondi, 97-8

 jaculus, Eryx, 225
 javanicus, Gymnotherax, 8
 jeffersoni, Desmognathus monticola, 305
 jeffersonianum, Ambystoma, 76, 156-7, 223, 300
 jello, Sphyraena, 8
 johnsoni, Rana, 87
 jonesi, Scarus, 7
 jordani, Carangoides ferdau, 8
 Plethodon, 32-4

 kamloops, Salmo gairdneri, 120-1
 kasmira, Lutjanus, 8
 Katsuwonus pelamis, 180-1, 187
 kemp, Lepidochelys, 68
 keta, Oncorhynchus, 121
 kingi, Elgaria kingi, 305
 kisutch, Oncorhynchus, 121
 kraussi, Scarus, 154-5
 Kuhlia sandvicensis, 8

 Lacerta, 225
 agilis, 113
 laetus, Diadophis punctatus, 306
 laevis, Phoxinus, 191

 Lampetra, 243
 Lampropeltis, 59
 doliata amaura, 229
 annulata, 230
 triangulum, 41
 getulus brooksi, 59, 230
 californiae, 230
 floridana, 230
 holbrookii, 224, 230
 zonata multifasciata, 45, 230
 lateralis, Leptophis, 45
 Masticophis, 45
 Masticophis lateralis, 46-8
 Natrix tigrina, 66
 laterorepens, Crotalus cerastes, 229, 306
 laticinctus, Ancistrodon contortrix, 229
 latipinna, Mollienia, 233
 latodactylus, Syrrhophus, 48, 50
 latrans, Eleutherodactylus, 36-7
 lauia, Scarus, 155
 leanus, Camponotus, 63
 lecontei, Rhinocheilus lecontei, 230
 Leimadophis ater, 110
 Leliocephalus, 64
 carinatus carinatus, 64
 Leiostomus, 151
 xanthurus, 151
 Leiuranus semicinctus, 7
 Lemna, 228
 lemniscatus, Cnemidophorus, 260
 Cnemidophorus lemniscatus, 260
 Lentiscus, 224-5
 Lepibema, 243
 Lepidochelys kempi, 68
 Lepidophyllum, 112
 Lepisosteus, 230-1, 283
 sp., 282-3, 288
 tristoechus, 231
 tropicus, 230-1
 Lepomis, 195, 287
 cyanellus, 132, 286-8
 gibbosus, 75
 macrochirus, 75, 190
 megalotis, 190
 megalotis, 188
 leprus, Syrrhophus, 50, 52, 54
 Leptodactylus melanonotus, 53
 Leptophis, 59
 lateralis, 45
 Leptotyphlops humilis utahensis, 305
 Lethrinus miniatus, 7
 nebulosus, 7-8
 ornatus, 7-8
 variegatus, 7-8
 Leucichthys, 243
 leucogrammicus, Anyperodon, 8
 leucostigma, Scarus, 154-5
 Leuresthes tenuis, 23-4, 150
 lewisi, Salmo clarki, 75
 Lichanura roseofusca roseofusca, 230
 limi, Umbra, 169, 175, 178, 192, 194
 lineatissimus, Microbatrachylus, 48
 lineatus, Abudedefduf, 7
 Acanthurus, 8
 Plotosus, 153
 liocephalus, Gerrhonotus, 305
 Liolaemus, 112, 114-5
 multiformis multiformis, 111-3
 Lithobius sp., 63
 littoralis, Malaclemys terrapin, 305
 lividus, Pomacentrus, 8

llanensi
 longica
 longima
 lophom
 lotor, P
 louisian
 louti, V
 loverid
 Loxocen
 lugubris
 Lumbric
 lunula,
 Lupinus
 Lutjanu
 bohar
 gibbu
 kasm
 mono
 sp., 3
 vaigi
 lutosus,
 Syrrh
 lutrensi

 Mabay
 fulgic
 sloan
 spilon
 macoun
 Macrobr
 macroch
 Macrope
 macrops
 maculat
 maculat
 maculos
 magiste
 magniro
 majalis,
 major,
 Makair
 Malach
 guttill
 Malacie
 malma,
 Malpol
 manato
 Mancul
 mancus
 margina
 margin
 marinus
 maritim
 marmor
 marnoci
 marston
 masquin
 Mastic
 tes
 latera
 eu
 late
 mata, A
 maura,
 maurita
 maurita
 maurus,
 mavort
 means,
 Megalop
 megalop

- llanensis, Terrapene, 217
 longicauda, Eurycea longicauda, 41, 43
 longimanus, Carcharhinus, 180-1, 187
 lophoma, Cyclura, 108
 lotor, Procyon, 159
 louisianensis, Necturus, 257
 louti, Variola, 8
loveridgei, Nyctimystes, 83, 84-5
 Loxocemus bicolor, 230
 lugubris, Caranx, 7-8
 Lumbricus, 41
 lunula, Chaetodon, 8
 Lupinus albus, 5
 Lutjanus aya, 75
 bohar, 7-8
 gibbus, 8
 kasmira, 8
 monostigma, 8
 sp., 3
 vaigiensis, 7-8
 lutosus, Eleutherodactylus, 49
 Syrrhophus, 49
 lutrensis, Notropis, 195

 Mabuya agilis, 108
 fulgida, 108
 sloanei, 108-9
 spilonotus, 108
 macouni, Chauliodus, 75
 Macrobdella decora, 294-5
 macrochirus, Lepomis, 75, 190
 Macroprotodon cucullatus, 226
 macrospilos, Epinephelus, 8
 maculatum, Ambystoma, 64-5, 156-7, 300
 maculatus, Scomberomorus, 182, 185, 187, 232
 maculosus, Necturus, 259
 magister, Sceloporus magister, 39
 magnirostris, Richmondia cardinalis, 224
 majalis, Fundulus, 274
 major, Eurycea bislineata, 76, 95
 Makaira nigricans ampla, 182, 186-7
 Malachyloides, 50, 53
 guttulatus, 50, 52
 Malaclemys terrapin littoralis, 305
 malma, Salvelinus, 118-22, 124
 Malpolon monspessulanus monspessulanus, 226
 manatorum, Cymodocea, 195
 Manculus, 205
 mancus, Bothus, 7-8
 marginata, Chrysemys picta, 298-9
 marginatus, Hemiramphus, 8
 marinus, Bagre, 162
 maritima, Ruppia, 195
 marmoreus, Blennius, 138
 marnocki, Syrrhophus, 37
 marstoni, Salvelinus, 243
 masquinongy, Esox, 283, 288
 Masticophis flagellum piceus, 230
 testaceus, 230
 lateralis, 45
 euryxanthus, 45, 46-8
 lateralis, 46-8
 mata, Acanthurus, 8
 maura, Natrix, 226
 mauritanica, Tarentola, 225
 mauritanicus, Bufo, 225
 maurus, Epicrates cenchria, 229
 mavortium, Ambystoma tigrinum, 60
 means, Amphiuma means, 68
 Megalops atlantica, 162
 megalopterus, Phalacboenus, 112
 megalotis, Lepomis, 190
 Lepomis megalotis, 188
 Megapharynx, 243
 valenciennesi, 242
 melampygus, Caranx, 7-8
 melanoleuca, Naja, 230
 melanoleucus, Pituophis melanoleucus, 230
 melanonotus, Leptodactylus, 53
 melanostigma, Epinephelus, 8
 melanotus, Iduis, 191
 Melanurus, Crotalus durissus, 306
 melas, Ictalurus, 285, 288
 melaventris, Plethodon jordani, 32-5, 297
 Plethodon shermani, 32-3
 meleagris, Arothron, 7
 Melospiza melodia pusillula, 45
 Membras vagrans, 72
 Menidia beryllina, 162
 merra, Epinephelus, 8
 metcali, Plethodon, 32-5
 mexicanus, Eleutherodactylus, 48-9
 Microbatrachylus, 48, 50
 lineatissimus, 48
 Microhyla carolinensis, 158
 olivacea, 158
 Micropogon, 151
 undulatus, 151
 Micropterus dolomieu, 124, 132
 dolomieu, 243
 salmoides, 132, 190
 microrhinus, Scarus, 8
 microtis, Cystignathus, 52
 Microtus ochrogaster, 288
 pensylvanicus, 282, 288
 terraenovae, 227
 milneana, Nyctimystes, 84
 mindorensis, Crocodylus, 264
 miniatus, Cephalopholis, 8
 Lethrinus, 7
 mississippiensis, Alligator, 222-3
 modestum, Phrynosoma, 263
 mojavensis, Salvadora hexalepis, 305
 mokeson, Agkistrodon contortrix, 67
 Ancistrodon contortrix, 229
 Mola mola, 182, 187
 mola, Mola, 182, 187
 Mollienesia latipinna, 233
 mollis, Schilbeodes, 243
 molurus, Python molurus, 230
 Moniana deliciosa, 72-3
 monostigma, Lutjanus, 8
 Monotaxis grandoculis, 8
 monspessulanus, Malpolon monspessulanus, 226
 Coelopeltis, 226
 montana, Hyla, 84-5
 Nyctimystes, 84
 monticola, Desmognathus monticola, 297
 mordax, Engraulis mordax, 140, 142
 Osmerus, 232
 Moringua, 12
 boekei, 12
 sp., 12
 Morone, 243
 americana, 75, 154
 chrysops, 154
 saxatilis, 242
 mossambica, Tilapia, 72
 Moxostoma, 243
 aureolum, 132
 carinatum, 132
 erythrurum, 132

hubbsi, 242-3
 rubreques, 243
 valenciennesi, 243
 Mugil, 3
 vaigiensis, 8
 Mulloidichthys samoensis, 7-8
 multifasciata, Lampropeltis zonata, 45, 230
 multiformis, Liolaemus multiformis, 111-3
 multiplicata, Eurycea, 205
 multiplicatus, Scaphiopus, 98-9
 multiscutatus, Cnemidophorus tigris, 39
 murdjan, Myrpiristis, 8
 murina, Eunectes, 229
 Mus musculus, 227
 muscorum, Pupilla, 63
 musculus, Mus, 227
 mydas, Chelonia, 107
 Testudo, 107
 mylecoelus, Eumecoides, 262
 Mylocheilus, 278-81
 caurinum, 278-81
 × Ptychocheilus oregonense, 278-9
 × Richardsonius balteatus, 280-1
 × Richardsonius balteatus balteatus, 278
 Myrpiristis murdjan, 8
 Myrophis, 13
 Naja melanoleuca, 230
 naja, 230
 atra, 230
 nigricollis, 230
 nivea, 230
 naja, Naja, 230
 namaycush, Cristivomer, 117-8, 123
 Salmo, 117
 Salvelinus, 116, 118-23
 nana, Eurycea, 205
 Natrix, 59
 atra, 110
 capistrata, 110
 maura, 226
 tigrina lateralis, 66
 nebulosa, Echidna, 8
 nebulosum, Ambystoma tigrinum, 223
 nebulosus, Ameiurus, 191-2, 194
 Ameiurus nebulosus, 243
 Lethrinus, 7-8
 Necturus, 76, 206, 257
 louisianensis, 257
 maculosus, 259
 Nemobius, 63
 Neomyx sclateri, 8
 neotenes, Eurycea, 205
 Neothunnus albacares, 181, 183-4, 187, 292
 albacara, 292
 nerka, Oncorhynchus, 120-1
 nereus, Typhlotriton, 200-1, 203-5
 nestor, Bufo, 85
 nettingi, Plethodon, 41
 nicholsi, Blennius, 135, 136-9
 nigricollis, Naja, 230
 nigrita, Pseudacris, 158
 nigrofasciatus, Hadropterus, 235-6
 nigromaculatus, Pomoxis, 75
 nigropunctatus, Arothron, 7
 nivea, Naja, 230
 nobilis, Elgaria, 305
 Gerrhonotus kingi, 305
 Elgaria kingii, 305
 nocomis, Notropis volucellus, 73
 normani, Blennius, 138
 norvegicus, Rattus, 227

notatus, Fundulus, 190, 273-7
 Pimephales, 69
 Notemigonus crysoleucas, 69, 284, 288
 Notonecta, 237
 Nototriche, 112, 115
 Notropis, 72, 155-6, 275
 amabilis, 155, 195
 atherinoides, 190
 brazosensis, 155
 deliciosus, 73
 lutrensis, 195
 oxyrhynchus, 155
 potteri, 155
 rubellus, 293-4
 sp., 260
 texanus, 73
 venustus, 73
 volucellus, 73
 nocomis, 73
 novaeguineae, Crocodylus, 264
 Novumbra, 174-6, 178
 hubbsi, 169
 nubicola, Eleutherodactylus, 211, 216
 nuchalis, Hybognathus, 289, 291
 Hybognathus nuchalis, 291
 Nyctimystes, 83-5
 granti, 84
 gularis, 84
 loveridgei, 83, 84-5
 milneana, 84
 montana, 84
 papua, 84
 semipalmata, 84
 obesus, Parathunnus, 183-4
 oblongus, Gerres, 8
 obsoleta, Elaphe obsoleta, 229
 obsoletus, Eumeces, 220
 occidentalis, Eleutherodactylus, 49
 Sceloporus, 112-3
 occiduus, Celestus, 109
 Celestus occiduus, 109
 Diploglossus, 109
 occipitamaculata, Storeria, 305
 ocellatus, Chalcides, 225
 Gongylus, 225
 ochrogaster, Microtus, 288
 odoratus, Sternotherus, 64
 ohiensis, Esox masquinongy, 242
 olivacea, Microhyla, 158
 Oncorhynchus, 120-2
 gorbuscha, 120-1
 keta, 121
 kisutch, 121
 nerka, 120-1
 tshawytscha, 121
 Ondatra sp., 288
 Oniscus asellus, 63
 opalinus, Anolis, 108
 Ophibolus evansi, 306
 Ophiophagus hannah, 230
 Opsopoeodus emiliae, 69
 oregonense, Ptychocheilus, 27, 279
 × Mylocheilus caurinum, 278-9
 × Richardsonius balteatus, 279
 orientalis, Bombina, 66
 ornata, Ceratophrys, 99
 ornatissimus, Chaetodon, 8
 ornatus, Lethrinus, 7-8
 Osmerus mordax, 232
 ossifragus, Crocodylus, 266
 ouachitae, Plethodon, 33

ovata,
 oxyrhy
 Palun
 perci
 pallasi,
 palleu
 palmari
 paludic
 palustri
 Rana
 panther
 papua,
 Parathu
 atlan
 obese
 rosen
 pardalis
 Syrrh
 Parupe
 parvipi
 Fund
 patronu
 pectora
 Scaru
 pelamis
 Penaeus
 duora
 setife
 pennsyl
 Perca fl
 percifor
 permuta
 Peromy
 perspicu
 petenen
 petimba
 petroph
 Phalco
 Phoca v
 Phocae
 phocae
 Phoxinu
 Phrynos
 cornu
 mode
 sp., 2
 Phyllob
 verru
 Phyllom
 piceus,
 picta, C
 Chrys
 pictus,
 picuda,
 pilicorni
 Pimeph
 pinetoru
 Pinus ec
 pipiens,
 Rana
 piscivor
 Pitimys
 Pituoph
 cateni
 ann
 cate
 melan
 placita,
 Placoph
 platyrhi
 platyura

- ovata*, *Carya*, 40
oxyrhynchus, *Notropis*, 155
Palinurichthys, 74
 perciiformis, 74
pallasi, *Clupea*, 139-40, 143, 146-7, 149-50
palleucus, *Gyrinophilus*, 201, 202-6
palmaris, *Hadropterus*, 235-6
paludicola, *Acris gryllus*, 228
palustris, *Crocodylus*, 263-4
Rana, 41, 157, 219, 226, 252, 254
pantherinus, *Bothus*, 8
papua, *Nyctimystes*, 84
Parathunnus ambiguus, 184
 atlanticus, 181, 183, 187
 obesus, 183-4
 rosengarteni, 184
pardalis, *Eleutherodactylus*, 49
Syrrhophus, 49
Parupeneus barberinus, 8
parvipinnis, *Fundulus*, 234-5
Fundulus parvipinnis, 234-5
patronus, *Brevortia*, 19
pectoralis, *Dallia*, 169, 244
 Scarus, 8
pelamis, *Katsuwonus*, 180-1, 187
Penaeus aztecus, 153
 duorarum, 153
 setiferus, 153
pennsylvanicus, *Microtus*, 282, 288
Perca flavescens, 286-8
perciiformis, *Palinurichthys*, 74
permutatus, *Heniochus*, 8
Peromyscus sp., 159
perspicillatus, *Scarus*, 154-5
petenense, *Dorosoma*, 162
petimba, *Fistularia*, 8
petrophilus, *Syrrhophus*, 50, 52-5
Phalcoboenus megalopterus, 112
Phoca vitulina, 296
Phocaena phocaena, 295
phocaena, *Phocaena*, 295
Phoxinus laevis, 191
Phrynosoma, 221, 262-3
 cornutum, 262-3
 modestum, 263
 sp., 263
Phyllobates ridens, 57
 verruculatus, 57
Phyllomedusa, 53
piceus, *Masticophis flagellum*, 230
picta, *Chrysemys*, 298
 Chrysemys picta, 298-9
pictus, *Gymnothorax*, 8
picuda, *Sphyraena*, 8
pilicornis, *Blennius*, 138
Pimephales notatus, 69
pinetorum, *Pitimys*, 159
Pinus echinata, 222
pipiens, *Rana*, 76, 86-7, 157, 210, 218, 227, 251
 Rana pipiens, 227
piscivorus, *Ancistrodon*, 229, 306
Pitimys pinetorum, 159
Pituophis, 59
 catenifer affinis, 230
 annectens, 230
 catenifer, 230
 melanoleucus melanoleucus, 230
placita, *Hybognathus*, 291
Placopharynx, 243
platyrhinus, *Heterodon*, 90, 100
platyura, *Belone*, 8
Plethodon, 32
 cinereus, 65
 cinereus, 41-3, 60
 clemsonae, 33
 jordani, 32-4
 melaventris, 32-5, 297
 metcalfi, 32-5
 nettingi, 41
 ouachitae, 33
 richmondi, 40-4, 60
 shermani melaventris, 32-3
 rabunensis, 32-3, 35
pleuriticus, *Salmo clarki*, 120-1
Pleurodonte, 64
pliocenica, *Rana*, 85, 86-7
plionasicus, *Heterodon*, 262
Plistodon striatus, 305
Plotosus, 153
 anguillaris, 153
 arab, 153
 lineatus, 153-4
Poecilichthys, 243
polyphemus, *Gopherus*, 62, 228
Pomacentrus lividus, 8
Pomolobus, 243
Pomoxis annularis, 236
 nigromaculatus, 75
Porcellio rathkei, 63
porosus, *Crocodylus*, 263-6
porphyriticus, *Gyrinophilus*, 201, 222
 Gyrinophilus porphyriticus, 203-4, 221
potteri, *Notropis*, 155
pretiosa, *Rana*, 86-7
 Rana pretiosa, 197-200
Prionace glauca, 181, 187
Procyon lotor, 159
Prosopium, 243
 coulteri, 124-7
 williamsoni, 124-7
Proteus, 206
 anguinus, 200
 zoissi, 200
Psammodromus algeris, 225
Pseudacris, 216, 218
 nigrita, 158
 triseriata, 211, 216, 255-6
Pseudobalistes flavomarginatus, 7
Pseudoscarus sp., 7
Pseudotriton, 204-5
 ruber, 201
 ruber, 203
Ptychocheilus oregonense, 27, 279
 × *Mylocheilus caurinus*, 278-9
 × *Richardsonius balteatus*, 279
pugnax, *Toxicophis*, 306
pulchra, *Anniella pulchra*, 305
punctatus, *Bufo*, 157
 Ictalurus, 285, 288
Pupilla muscorum, 63
purpureocauda, *Ablabes*, 306
pusillula, *Melospiza melodia*, 45
Pygoplites diacanthus, 8
pyrrhus, *Crotalus mitchelli*, 229
Python curtus curtus, 230
 molurus bivittatus, 230
 molurus, 230
 reticulatus, 230
 sebae, 230
quadrivittata, *Elaphe obsoleta*, 229
quercicus, *Bufo*, 59
Quercus, 40

- rabunensis, *Plethodon shermani*, 32-3, 35
Rana, 85-6, 198, 200, 207, 210-211, 216, 218
 areolata, 219
 aurora, 86-7
 cascadae, 86
 draytoni, 86-7
 berlandieri, 207-11, 255-6
 boylei, 86-7
 boylei, 86
 sierrae, 86
 capito, 219
 clamitans, 41, 157, 219, 227, 252
 catesbeiana, 86-7, 157, 218
 grylio, 218
 heckscheri, 218
 johnsoni, 87
 palustris, 41, 157, 219, 226, 252, 254
 piapiens, 76, 86-7, 157, 210, 218, 227, 251
 piapiens, 227
 pliocenica, 85, 86-7
 pretiosa, 86-7
 pretiosa, 197-200
 ridibunda, 225
 rugulosa, 99
 septentrionalis, 219, 227
 sylvatica, 65, 76, 219, 252
 cantabrigensis, 227
 tarahumarae, 86-7
 virgatipes, 219
rathbuni, *Typhlomolge*, 201
rathkei, *Porcellio*, 63
Rattus norvegicus, 227
 rattus, 227
rattus, *Rattus*, 227
raviventris, *Reithrodontomys raviventris*, 45
 rectangulus, *Rhineacanthus*, 8
 regia, *Hybognathus nuchalis*, 291
 Reighardina unicolor, 128
Reithrodontomys raviventris halicoetes, 45
 raviventris, 45
rerio, *Brachydanio*, 150
 reticulatum, *Deroceras*, 62-3
 reticulatus, *Python*, 230
 rexroadensis, *Testudo*, 262
 Rhabdias fuscovenosa, 63
Rhadinaea, 59-60
 flavilata, 59
Rhineacanthus aculeatus, 7-8
 rectangulus, 8
Rhinocheilus lecontei clarus, 306
 lecontei, 230
rhotheus, *Cottus*, 25-8
Richardsonius, 278-80
 balteatus, 27, 278-81
 × *Mylocheilus caurinum*, 280-1
 × *Ptychocheilus oregonense*, 279
 balteatus, 278, 280
 × *Mylocheilus caurinum*, 278
Richmondia cardinalis magnirostris, 224
richmondi, *Plethodon*, 40-4, 60
ridens, *Eleutherodactylus*, 49
 Phyllobates, 57
 Syrrhophus, 49
ridibunda, *Rana*, 225
riggsi, *Gopherus*, 262
rivicola, *Eurycea bislineata*, 41, 43, 92-6
robustus, *Sceloporus*, 262
Roccus, 243
rogersi, *Hoplophryne*, 99
roosevelti, *Salmo*, 120
rosengarteni, *Parathunnus*, 184
roseofusca, *Lichanura roseofusca*, 230
ruatanus, *Cnemidophorus lemniscatus*, 260
rubellus, *Notropis*, 293-4
rubreques, *Moxostoma*, 243
ruber, *Caranx*, 292-3
 Crotalus ruber, 229
 Pseudotriton, 201
 Pseudotriton ruber, 203
rufodorsata, *Elaphe*, 66
rugulosa, *Rana*, 99
rupestris, *Ambloplites*, 189
 Ambloplites rupestris, 69-70
Ruppia maritima, 195

salar, *Salmo*, 120-1
salmoides, *Micropterus*, 132, 190
Salmo, 117, 120-2
 clarki, 120-1, 124
 alpestris, 120
 lewisi, 75
 pleuriticus, 120-1
 gairdneri, 120-1, 232
 kamloops, 120-1
 whitehousei, 120
 namaycush, 117
 roosevelti, 120
 salar, 120-1
 trutta, 120-1, 232
saltator, *Eleutherodactylus*, 49
Salvadora hexalepis mojavnensis, 305
Salvelinus, 116-23, 243
 alpinus, 117-22, 243
 aureolus, 117, 120
 fontinalis, 117-22, 232, 294
 malma, 118-22, 124
 marstoni, 243
 namaycush, 116, 118-23
 stagnalis, 117
sammara, *Holocentrus*, 8
samoensis, *Mulloidichthys*, 7-8
sanctipetri, *Scomberoides*, 8
 sandvicensis, *Kuhlia*, 8
Sarda sarda, 182, 187
sarda, *Sarda*, 182, 187
saxatilis, *Morone*, 242
sayanus, *Aphredoderus*, 69
sayi, *Coronella*, 306
Scaphiopus, 97, 252, 254
 bombifrons, 97, 217-8, 254-6
 couchi, 218
 hammondi, 97-9, 218
 bombifrons, 97-9
 hammondi, 97-9
 intermontanus, 97-8
 holbrookii, 99, 218
 holbrookii, 251-4
 hurteri, 218, 255-6
 multiplicatus, 98-9
Scarus ahula, 154-5
 barborus, 155
 dussumieri, 7-8
 formosus, 155
 forsteri, 8
 jonesi, 7
 kraussi, 154-5
 lauia, 155
 leucostigma, 154-5
 microrhinus, 8
 pectoralis, 8
 perspicillatus, 154-5
 sordidus, 7-8
 sp., 4, 7-8
 vermiculatus, 8

Sceloporus
 gracilis
 magister
 occidentalis
 robustus
 undulatus
Schilbe
 gryllus
 mollis
schistostoma
Scincus
 slateri
 Scomber
 Scomber
 cavall
 macul
Scorpaen
 scripta
 scutatum
 sebae, *P*
 seftoni
 Selar *cr*
 semicinct
 Seminat
 semipalm
 Semotilus
 atrom
 sp., 25
 Senecio
 Seps *trig*
 septemf
 septentr
 Seriola f
 serpens
 serratus
 setifer, *C*
 setiferus
 sexfascia
 sexlineat
 shawii, *I*
 siamensi
 Sicyonia
 sierrae, *I*
 sirtalis, *I*
 siscowet
 Sistrurus
 sloanei, *I*
 Chaul
 Mabu
 sloanii, *I*
 Scincus
 smithi, *S*
 solandri, *I*
 Solaria, *I*
 sordidus
 Scarus
 Sorex *cir*
 sp., 15
 Spea *bor*
 spelaus, *I*
 Sphaeroc
 argu
 gilvito
 gonior
 Sphyrax
 barrac
 jello, *I*
 picuda
 spiloides
 spilonot
 spinifer
 stagnalis

- Sceloporus*, 220
 graciosus, 113
 magister magister, 39
 occidentalis, 112-3
 robustus, 262
 undulatus, 299
Schilbeodes, 195
 gyrinus, 243
 mollis, 243
schistosus, *Helicops*, 229
Scincus sloanii, 108
sclateri, *Neomyxis*, 8
Scomberoides sanctipetri, 8
Scomberomorus, 231
 cavalla, 182, 187, 232, 292
 maculatus, 182, 185, 187, 232
Scorpaenopsis gibbosus, 8
scripta, *Alutera*, 8
scutatum, *Hemidactylum*, 65
sebae, *Python*, 230
seftoni, *Cryptotrema*, 17, 18
Selar crumenophthalmus, 293
semicinctus, *Leiuranus*, 7
Seminatrix, 91
semipalmata, *Nyctimystes*, 84
Semotilus, 155
 atromaculatus, 155, 284-5, 288
 sp., 284
Senecio, 112
Seps tridactylus, 225
septemfasciatus, *Abudefduf*, 7-8
septentrionalis, *Rana*, 219, 227
Seriola falcata, 182, 186-7, 292-3
serpens, *Gempylus*, 182, 186-7
serratus, *Exostinus*, 263
setifer, *Chaetodon*, 8
setiferus, *Penaeus*, 153
sexfasciatus, *Caranx*, 7-8
sexlineatus, *Cnemidophorus*, 229
shawii, *Diploglossus*, 109
siamensis, *Crocodylus*, 263-4, 266
Sicyonia, 153
sierrae, *Rana boylei*, 86
sirtalis, *Thamnophis sirtalis*, 100, 102
siscowet, *Cristivomer*, 117
Sistrurus catenatus, 230
sloanei, *Ameiva*, 108
 Chauliodus, 76
 Mabuya, 108-9
sloanii, *Eumeces*, 108-9
 Scincus, 108
smithi, *Syrrhophus*, 50, 52, 54-5
solandri, *Acanthocybium*, 3, 182, 185, 187
Solaria, 138
sordidus, *Abudefduf*, 7-8
 Scarus, 7-8
Sorex cinereus, 288
 sp., 159
Spea bombifrons, 217
spelaeus, *Typhlotriton*, 200-1, 203-5
Sphaerodactylus argus, 109
 argus, 109
 gilvitorques, 109
 goniorhynchus, 109
Sphyræna, 3
 barracuda, 180-1, 187
 jello, 8
 plicuda, 8
spiloides, *Elaphe obsoleta*, 229
spilonotus, *Mabuya*, 108
spinifer, *Holocentrus*, 8
stagnalis, *Salvelinus*, 117
 stearnsi, *Blennius*, 138
 stejnegeri, *Agkistrodon halys*, 67
Stereochilus, 205
Sternotherus odoratus, 64
Stethojulis albovittata, 8
 axillaris, 8
Stilbiscus, 11-2
 bahamensis, 12
 edwardsi, 12-3
Storeria dekayi, 62-4
 occipitomaculata, 305
striatulus, *Eumeces*, 262
striatus, *Epicrates*, 229
 Plistodon, 305
 Tamias, 159
strigosus, *Ctenochaetus*, 8
Strophocheilus, 64
 subflavus, *Epicrates*, 110
summana, *Epinephelus*, 8
surinamensis, *Anisotremus*, 76
sylvatica, *Rana*, 65, 76, 219, 252
Synaptomys cooperi, 159
Syrrhaphus guttulus, 52
Syrrhaphus, 50
 guttulus, 52
 verrucipes, 55
Syrrhophus, 36-7, 48-50, 52-8
 campi, 50, 54
 caryophyllaceus, 49
 cystignathoides, 57-8
 diastema, 49
 guttulus, 50, 52-5
 guttulus, 52
 hylaeformis, 49
 ineptus, 49
 latodactylus, 48, 50
 leprus, 50, 52, 54
 lutosus, 49
 marnocki, 37
 pardalis, 49
 petrophilus, 50, 52-5
 ridens, 49
 smithi, 50, 52, 54-5
 verrucipes, 55-7
 verruculatus, 56-7
tabulata, *Testudo*, 106
Tamias striatus, 159
tarahumarae, *Rana*, 86-7
Tarentola mauritanica, 225
Tarpon atlanticus, 71
taurus, *Carcharias*, 296
tenuis, *Contia*, 299-300
 Leuresthes, 23-4, 150
terraenovae, *Microtus pennsylvanicus*, 227
Terrapene, 217
 illanensis, 221
testaceus, *Masticophis flagellum*, 230
testudinum, *Thalassia*, 195
Testudo, 107
 carbonaria, 106
 caretta, 107
 denticulata, 106-7
 imbricata, 107
 mydas, 107
 rexroadensis, 262
 tabulata, 106
texana, *Anniella*, 305
 Cyprinella, 72
téxanus, *Notropis*, 73
Thalassia testudinum, 195
Thalerophis, 59

- Thamnophis elegans atratus*, 45
sirtalis annectens, 305
sirtalis, 100, 102
Thomomys bottae grahamensis, 223
Thunnus albacora, 14, 16
thynnus, 181, 187
sp., 182, 187
Thynnus atlanticus, 183
balteatus, 183
thynnus, *Thunnus*, 181, 187
tigrina, *Coronella*, 306
tigrinum, *Ambystoma*, 67, 300
Ambystoma tigrinum, 156-7
Tilapia, 72, 245
mossambica, 72
Tilia americana, 40
Tomodactylus, 49-50, 52, 55
torosus, *Triturus*, 39
tortugensis, *Crotalus*, 229
Toxicophis pugnax, 306
Trachinotus bailloni, 8
triangulum, *Lampropeltis doliata*, 41
Tridacna, 3
tridactylus, *Chalcides*, 225
Seps, 225
tridentata, *Triodopsis*, 159
trifasciatus, *Chaetodon*, 8
trimaculatus, *Halichoeres*, 8
Trimorphodon, 91
vandenburghi, 91
Triodopsis albolabris, 159
tridentata, 159
Trionyx ferox hartwegi, 305
tristriatus, *Acanthurus*, 6, 8
triseriata, *Pseudacris nigrita*, 211, 216, 255-6
tristoechus, *Lepisosteus*, 231
Triton, 211, 216
tritor, *Cybium*, 185
Triturus, 76
torosus, 39
Trogonophis, 225
weigmanni, 225
tropicus, *Lepisosteus*, 230-1
Tropidonotus viperinus, 226
trutta, *Salmo*, 120-1, 232
tshawytscha, *Oncorhynchus*, 121
Tubifex, 65
Typhlomolge, 204-6
rathbuni, 201
Typhlotriton, 204-6
nereus, 200-1, 203-5
spelaeus, 200-1, 203-5
tyrannus, *Brevoortia*, 19

Ulmus, 40
Uma, 220
Umbra, 169, 175, 177-8
limi, 169, 175, 178, 192, 194
undulatus, *Gymnothorax*, 8
Microgobius, 151
Sceloporus, 299
Ungaliophis continentalis, 230

unicolor, *Crotalus*, 229
Ichthyomyzon, 128
Reighardina, 128
unicuspis, *Ichthyomyzon*, 129
unimaculatus, *Chaetodon*, 7
ussuriensis, *Agkistrodon halys*, 67
Uta, 220
stansburiana hesperis, 39
utahensis, *Gerrhonotus coeruleus*, 304
Leptotyphlops humilis, 305

vagrans, *Membras*, 72
vaigiensis, *Lutjanus*, 7-8
Mugil, 8
valenciennesi, *Megapharynx*, 242
Moxostoma, 243
Vallisneria, 195
vandenburghi, *Trimorphodon*, 91
variegatus, *Lethrinus*, 7-8
Variola louti, 8
varius, *Heniochus*, 8
velifera, *Gibbonsia elegans*, 267, 270-1
venustus, *Notropis*, 73
vermiculatus, *Esox*, 243
Scarus, 8
verrucipes, *Syrrhaptes*, 55
Syrrhaptes, 55-7
verruculatus, *Hypodictyon*, 57
Phyllobates, 57
Syrrhaptes, 56-7
versicolor, *Hyla*, 158, 252
vigilis, *Xantusia*, 38-40
vinctus, *Blennius*, 138
Fundulus, 234
viperinus, *Tropidonotus*, 226
virgatipes, *Rana*, 219
viridis, *Bufo*, 225
Crotalus viridis, 229
Dendroaspis, 229
vitulina, *Phoca*, 296
viviparus, *Zoarces*, 142
volucellus, *Notropis*, 73
vulgare, *Armadillidium*, 63
vulgaris, *Acanthodactylus*, 225
vulpes, *Albula*, 8

wallacei, *Haideotriton*, 201
weigmanni, *Trogonophis*, 225
whitehousei, *Salmo gairdneri*, 120
williamsoni, *Prosopium*, 124-7
Wolffia, 228
woodhousei, *Bufo woodhousei*, 218, 221
wrightii, *Halodule*, 195

xanthoptica, *Ensatina eschscholtzi*, 45
xanthurus, *Leiostomus*, 151
Xantusia, 39
vigilis, 38-40

Zamenis hippocrepis, 225
Zoarces viviparus, 142
zoissi, *Proteus*, 200
Zonitoides arbore, 63
zosteriae, *Hippocampus*, 196

